	5F	AFETY DATA SHEET	
	according to Con	mmission Regulation (EU) 2020/878 as amended	
		HEEL CLEANER CONCENTRATED	
Creation date 01st February 2024			
Revis	on date	Version 1.0	
		e/mixture and of the company/undertaking	
1.1.	Product identifier	ALKALIC WHEEL CLEANER CONCENTRATED	
	Substance / mixture	mixture	
	UFI Delevent identified was a falle such	G410-H0P3-100H-ETXM	
1.2.	Relevant identified uses of the sub	stance or mixture and uses advised against	
	Main intended use		
	PC-CLN-17.6 Chrom	nium, rim and other metal cleaners - all vehicle types	
	Mixture uses advised against		
	The product should not be used in way	s other than those referred in Section 1.	
1.3.	Details of the supplier of the safety	y data sheet	
	Supplier		
	Name or trade name	Magis Agata Nizio	
	Address	Mickiewicza 11, Dębno, 74-400	
		Poland	
	VAT Reg No	PL5970003622	
	Phone	+48451013350	
	E-mail	ggg@gmail.com	
	Competent person responsible for	-	
	Name	Magis Agata Nizio	
	E-mail	ggg@gmail.com	
L. 4 .	Emergency telephone number		
SECT	European emergency number: 112		
SECT 2.1.	European emergency number: 112 ION 2: Hazards identification Classification of the substance or n Classification of the mixture in acco The mixture is classified as dangerous. Met. Corr. 1, H290 Skin Corr. 1A, H314 Eye Dam. 1, H318 Most serious adverse physico-chen May be corrosive to metals. Most serious adverse effects on hu Causes severe skin burns and eye dam Label elements Hazard pictogram	nixture fordance with Regulation (EC) No 1272/2008 nical effects fiman health and the environment	
1.4. SECT 2.1.	European emergency number: 112 ION 2: Hazards identification Classification of the substance or n Classification of the mixture in accord The mixture is classified as dangerous. Met. Corr. 1, H290 Skin Corr. 1A, H314 Eye Dam. 1, H318 Most serious adverse physico-chem May be corrosive to metals. Most serious adverse effects on hu Causes severe skin burns and eye dam Label elements Hazard pictogram Signal word Danger Hazardous substances sodium hydroxide Alcohols, C12-14, ethoxylated, sulfates H290 H314 Causes Precautionary statements	nixture fordance with Regulation (EC) No 1272/2008 mical effects man health and the environment hage. Causes serious eye damage.	

according to Commission Regulation (EU) 2020/878 as amended

ALKALIC WHEEL CLEANER CONCENTRATED

Creation date	01st February 2024	
Revision date	Version 1.0	
P260	Do not breathe mist/vapours/spray.	
P280	Wear protective gloves/protective clothing/eye protection/face protection.	
P301+P330+P331	IF SWALLOWED: Rinse mouth. Do NOT induce vomiting.	
P303+P361+P353	IF ON SKIN (or hair): Take off immediately all contaminated clothing. Rinse s with water or shower.	kin
P305+P351+P338	IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing.	
P310	Immediately call a doctor.	
Supplemental info	mation	

5-<15 % anionic surfactants, 5-<15 % non-ionic surfactants, <5 % polycarboxylates, perfumes, Linalool **Requirements for child-resistant fastenings and tactile warning of danger**

Container must carry a tactile warning of danger. Container must be fitted with child-resistant fastening.

2.3. Other hazards

The mixture does not contain substances with endocrine disrupting properties in accordance with the criteria set out in Commission Delegated Regulation (EU) 2017/2100 or Commission Regulation (EU) 2018/605. Mixture does not contain any substance meet the criteria for PBT or vPvB in accordance with Annex XIII of Regulation (EC) No. 1907/2006 (REACH) as amended.

SECTION 3: Composition/information on ingredients

3.2. Mixtures

Mixture contains these hazardous substances and substances with the highest permissible concentration in the working environment

Identification numbers	Substance name	Content in % weight	Classification according to Regulation (EC) No 1272/2008	Note
Index: 011-002-00-6 CAS: 1310-73-2 EC: 215-185-5 Registration number: 01-2119457892-27	sodium hydroxide	5-10	Skin Corr. 1A, H314 Specific concentration limit: Skin Corr. 1B, H314: $2 \% \le C < 5 \%$ Skin Corr. 1A, H314: $C \ge 5 \%$ Eye Irrit. 2, H319: $0.5 \% \le C < 2 \%$ Skin Irrit. 2, H315: $0.5 \% \le C < 2 \%$	
CAS: 68891-38-3 EC: 500-234-8 Registration number: 01-2119488639-16-	Alcohols, C12-14, ethoxylated, sulfates, sodium salts	5-10	Skin Irrit. 2, H315 Eye Dam. 1, H318 Aquatic Chronic 3, H412	
CAS: 15763-76-5 EC: 239-854-6 Registration number: 01-2119489411-37	Sodium p-cumenesulphonate	<2,5	Eye Irrit. 2, H319	
CAS: 78330-20-8 EC: 616-607-4 Registration number: Polimer	Alcohols, C9-11-iso-, C10-rich, ethoxylated	1	Acute Tox. 4, H302 Eye Dam. 1, H318	
CAS: 85408-49-7 EC: 287-011-6	Amines, C12-16-alkyldimethyl, N-oxides	<0,25	Acute Tox. 4, H302 Skin Irrit. 2, H315 Eye Dam. 1, H318 Aquatic Acute 1, H400 (M=1) Aquatic Chronic 2, H411	

Full text of all classifications and hazard statements is given in the section 16.

according to Commission Regulation (EU) 2020/878 as amended

ALKALIC WHEEL CLEANER CONCENTRATED

Creation date Revision date 01st February 2024

Version

1.0

SECTION 4: First aid measures

4.1. Description of first aid measures

Take care of your own safety. If any health problems are manifested or if in doubt, inform a doctor and show him information from this safety data sheet. If unconscious, put the person in the stabilized (recovery) position on his side with his head slightly bent backwards and make sure that airways are free; never induce vomiting. If the person vomits by himself, make sure that the vomit is not inhaled. In life threatening conditions first of all provide resuscitation of the affected person and ensure medical assistance. Respiratory arrest - provide artificial respiration immediately. Cardiac arrest - provide indirect cardiac massage immediately.

If inhaled

Terminate the exposure immediately; move the affected person to fresh air. Take care of your own safety, do not let the affected person walk! Beware of the contaminated clothes. Depending on the situation, call the medical rescue service and ensure medical treatment considering the frequent need of further observation for at least 24 hours.

If on skin

Remove contaminated clothes. Take off any rings, watches, bracelets before or during washing if worn in the contaminated areas of the skin. Rinse contaminated areas with a flow of water, lukewarm at best, for 10-30 minutes; do not use any brush, soap or neutralizers. Depending on the situation, call the medical rescue service and always ensure medical treatment. Rinse cautiously with water for several minutes. Rinse skin with water or shower.

If in eyes

Rinse eyes immediately with a flow of running water, open the eyelids (also using force if needed); remove contact lenses immediately if worn by the affected person. No neutralization should be performed in any case! Rinsing should be continued for 10-30 minutes from the inner to the outer eye corner to make sure that the other eye is not involved. Depending on the situation, call medical rescue service or ensure medical treatment as promptly as possible. Everyone must be referred for treatment even if affected only a little.

If swallowed

DO NOT INDUCE VOMITING! Even the inducted vomiting can cause complications as in case of detergents and other foaming substances.

4.2. Most important symptoms and effects, both acute and delayed

If inhaled

Inhaling vapours can cause corrosion of the breathing system.

If on skin

Causes severe skin burns.

If in eyes

Causes serious eye damage.

If swallowed

Corrosion of the digestion system can occur.

4.3. Indication of any immediate medical attention and special treatment needed

Symptomatic treatment.

SECTION 5: Firefighting measures

5.1. Extinguishing media

Suitable extinguishing media

Alcohol-resistant foam, carbon dioxide, powder, water spray jet, water mist.

Unsuitable extinguishing media

```
Water - full jet.
```

5.2. Special hazards arising from the substance or mixture

In the event of fire, carbon monoxide, carbon dioxide and other toxic gases may arise. Inhalation of hazardous degradation (pyrolysis) products may cause serious health damage.

5.3. Advice for firefighters

Self-Contained Breathing Apparatus (SCBA) with a chemical protection suit only where personal (close) contact is likely. Use a self-contained breathing apparatus and full-body protective clothing. Do not allow run-off of contaminated fire extinguishing material to enter drains or surface and ground water.

SECTION 6: Accidental release measures

6.1. Personal precautions, protective equipment and emergency procedures

May be corrosive to metals. Use personal protective equipment for work. Follow the instructions in the Sections 7 and 8. Do not inhale mist/vapours/spray. Prevent contact with skin and eyes.

according to Commission Regulation (EU) 2020/878 as amended

ALKALIC WHEEL CLEANER CONCENTRATED

Creation date Revision date 01st February 2024

Version

1.0

6.2. Environmental precautions

Prevent contamination of the soil and entering surface or ground water.

6.3. Methods and material for containment and cleaning up

Spilled product should be covered with suitable (non-flammable) absorbing material (sand, diatomaceous earth, earth and other suitable absorption materials); to be contained in well closed containers and removed as per the Section 13. In the event of leakage of the substantial amount of the product, inform fire brigade and other competent bodies. After removal of the product, wash the contaminated site with plenty of water. Do not use solvents. Absorb spillage to prevent material damage.

6.4. Reference to other sections

See the Section 7, 8 and 13.

SECTION 7: Handling and storage

7.1. Precautions for safe handling

Prevent formation of gases and vapours in concentrations exceeding the occupational exposure limits. Do not inhale mist/vapours/spray. Prevent contact with skin and eyes. Wash hands and exposed parts of the body thoroughly after handling. Use personal protective equipment as per Section 8. Observe valid legal regulations on safety and health protection.

7.2. Conditions for safe storage, including any incompatibilities

Store in tightly closed containers in cold, dry and well ventilated areas designated for this purpose. Do not expose to sunlight. Keep only in original packaging. Store locked up.

7.3. Specific end use(s)

not available

SECTION 8: Exposure controls/personal protection

8.1. Control parameters

The mixture contains substances for which occupational exposure limits are set.

8.2. Exposure controls

Take off contaminated clothing and wash before reuse. Follow the usual measures intended for health protection at work and especially for good ventilation. This can be achieved only by local suction or efficient general ventilation. Do not eat, drink and smoke during work. Wash your hands thoroughly with water and soap after work and before breaks for a meal and rest.

Eye/face protection

Protective goggles or face shield (based on the nature of the work performed).

Skin protection

Hand protection: Protective gloves resistant to the product. When choosing appropriate thickness, material and permeability of the gloves, observe recommendations of their particular manufacturer. Observe other recommendations of the manufacturer. Other protection: protective workwear. Contaminated skin should be washed thoroughly.

Respiratory protection

Halfmask with a filter against organic vapours or a self-contained breathing apparatus as appropriate if exposure limit values of substances are exceeded or in a poorly ventilated environment.

Thermal hazard

Data not available.

Environmental exposure controls

Observe usual measures for protection of the environment, see Section 6.2.

SECTION 9: Physical and chemical properties

9.1. Information on basic physical and chemical properties

Physical state	liquid
Colour	violet
Odour	characteristic
Melting point/freezing point	data not available
Boiling point or initial boiling point and boiling range	data not available
Flammability	data not available
Lower and upper explosion limit	data not available
Flash point	>61 °C

according to Commission Regulation (EU) 2020/878 as amended

ALKALIC WHEEL CLEANER CONCENTRATED

Creati	on date 01st February 2024			
Revision date		Version	1.0	
	Auto-ignition temperature	data not available		
	Decomposition temperature	data not available		
	pH	>13 (undiluted)		
	Kinematic viscosity	data not available		
	Solubility in water	soluble		
	Partition coefficient n-octanol/water (log value)	data not available		
	Vapour pressure	data not available		
	Density and/or relative density			
	Density	1.158 g/cm ³		
	Relative vapour density	data not available		
	Particle characteristics	nie dotyczy		
9.2.	Other information			
	not available			

SECTION 10: Stability and reactivity

- 10.1. Reactivity
 - not available
- 10.2. Chemical stability
- The product is stable under normal conditions.
- **10.3.** Possibility of hazardous reactions Unknown.

10.4. Conditions to avoid

The product is stable and no degradation occurs under normal use. Protect against flames, sparks, overheating and against frost.

10.5. Incompatible materials

Protect against strong acids, bases and oxidizing agents. May be corrosive to metals.

10.6. Hazardous decomposition products Not developed under normal uses. Dangerous outcomes such as carbon monoxide and carbon dioxide are formed at high temperature and in fire.

SECTION 11: Toxicological information

11.1. Information on hazard classes as defined in Regulation (EC) No 1272/2008

Inhalation of solvent vapors above values exceeding exposure limits for working environment may result in acute inhalation poisoning, depending on the level of concentration and exposure time. No toxicological data is available for the mixture.

Acute toxicity

Based on the available data, the criteria for classification of the mixture are not met. Data for the components of the mixture are not available.

ALKALIC WHEEL CLEANER CONCENTRATED						
Route of exposure	Parameter	Value	Exposure time	Species	Sex	Value determination
Oral	ATE	40000 mg/kg				Calculation of value

Skin corrosion/irritation

Causes severe skin burns and eye damage. Data for the components of the mixture are not available.

Serious eye damage/irritation

Causes severe skin burns and eye damage. Causes serious eye damage. Data for the components of the mixture are not available.

Respiratory or skin sensitisation

No data are available for either the mixture or the components. Based on the available data, the criteria for classification of the mixture are not met.

according to Commission Regulation (EU) 2020/878 as amended

ALKALIC WHEEL CLEANER CONCENTRATED

Creation date Revision date 01st February 2024

Version

1.0

Germ cell mutagenicity

No data are available for either the mixture or the components. Based on the available data, the criteria for classification of the mixture are not met.

Carcinogenicity

No data are available for either the mixture or the components. Based on the available data, the criteria for classification of the mixture are not met.

Reproductive toxicity

No data are available for either the mixture or the components. Based on the available data, the criteria for classification of the mixture are not met.

Toxicity for specific target organ - single exposure

No data are available for either the mixture or the components. Based on the available data, the criteria for classification of the mixture are not met.

Toxicity for specific target organ - repeated exposure

No data are available for either the mixture or the components. Based on the available data, the criteria for classification of the mixture are not met.

Aspiration hazard

No data are available for either the mixture or the components. Based on the available data, the criteria for classification of the mixture are not met.

11.2. Information on other hazards

The mixture does not contain substances with endocrine disrupting properties in accordance with the criteria set out in Commission Delegated Regulation (EU) 2017/2100 or Commission Regulation (EU) 2018/605.

SECTION 12: Ecological information

12.1. Toxicity

No data are available for either the mixture or the components. Based on the available data, the criteria for classification of the mixture are not met.

12.2. Persistence and degradability

No data are available for either the mixture or the components. The mixture is biodegradable.

12.3. Bioaccumulative potential

No data are available for either the mixture or the components.

12.4. Mobility in soil

No data are available for either the mixture or the components.

- 12.5. Results of PBT and vPvB assessment Product does not contain any substance meeting the criteria for PBT or vPvB in accordance with the Annex XIII of Regulation (EC) No 1907/2006 (REACH) as amended.
- 12.6. Endocrine disrupting properties
 The mixture does not contain substances with endocrine disrupting properties in accordance with the criteria set out
 in Commission Delegated Regulation (EU) 2017/2100 or Commission Regulation (EU) 2018/605.

 12.7. Other adverse effects

Data not available.

SECTION 13: Disposal considerations

according to Commission Regulation (EU) 2020/878 as amended

ALKALIC WHEEL CLEANER CONCENTRATED

Creation date Revision date 01st February 2024

Version

1.0

13.1. Waste treatment methods

Hazard of environmental contamination; dispose of the waste in accordance with the local and/or national regulations. Proceed in accordance with valid regulations on waste disposal. Any unused product and contaminated packaging should be put in labelled containers for waste collection and submitted for disposal to a person authorised for waste removal (a specialized company) that is entitled for such activity. Do not empty unused product in drainage systems. The product must not be disposed of with municipal waste. Empty containers may be used at waste incinerators to produce energy or deposited in a dump with appropriate classification. Perfectly cleaned containers can be submitted for recycling.

Waste management legislation

Directive 2008/98/EC of the European Parliament and of the Council of 19 November 2008 on waste, as amended. Decision 2000/532/EC establishing a list of wastes, as amended.


SECTION 14: Transport information

- 14.1. UN number or ID number
- UN 1824 14.2. UN proper shipping name
- SODIUM HYDROXIDE SOLUTION
- 14.3.Transport hazard class(es)8Corrosive substances
- 14.4. Packing group
 - II
- 14.5. Environmental hazards not relevant
- **14.6.** Special precautions for user Reference in the Sections 4 to 8.

14.7. Maritime transport in bulk according to IMO instruments not relevant

Additional information

Hazard identification No. UN number Classification code Safety signs



Tunnel restriction code	(E)
Air transport - ICAO/IATA	
Packaging instructions passenger	851
Cargo packaging instructions	855
Marine transport - IMDG	
EmS (emergency plan)	F-A, S-B
MFAG	705

according to Commission Regulation (EU) 2020/878 as amended

ALKALIC WHEEL CLEANER CONCENTRATED

Creation date Revision date 01st February 2024

Version

1.0

SECTION 15: Regulatory information

15.1. Safety, health and environmental regulations/legislation specific for the substance or mixture

Regulation (EC) No. 1907/2006 of the European Parliament and of the Council of 18th December 2006 concerning the Registration, Evaluation, Authorisation and Restriction of Chemicals (REACH), establishing the European Chemicals Agency, amending Directive 1999/45/EC and repealing Council Regulation (EEC) No. 793/93 and Commission Regulation (EC) No. 1488/94 as well as Council Directive 76/769/EEC and Commission Directives 91/155/EEC, 93/67/EEC, 93/105/EC and 2000/21/EC, as amended. REGULATION (EC) No. 1272/2008 OF THE EUROPEAN PARLIAMENT AND OF THE COUNCIL as amended. REGULATION (EC) No 648/2004 OF THE EUROPEAN PARLIAMENT AND OF THE COUNCIL of 31 March 2004 on detergents, as amended. Commission Regulation (EU) 2020/878 of 18 June 2020 amending Annex II to Regulation (EC) No 1907/2006 of the European Parliament and of the Council concerning the Registration, Evaluation, Authorisation and Restriction of Chemicals (REACH).

15.2. Chemical safety assessment

not available

SECTION 16: Other information

A list of standard risk phras	es used in the safety data sheet
H290	May be corrosive to metals.
H302	Harmful if swallowed.
H314	Causes severe skin burns and eye damage.
H315	Causes skin irritation.
H318	Causes serious eye damage.
H319	Causes serious eye irritation.
H400	Very toxic to aquatic life.
H411	Toxic to aquatic life with long lasting effects.
H412	Harmful to aquatic life with long lasting effects.
Guidelines for safe handling) used in the safety data sheet
P101	If medical advice is needed, have product container or label at hand.
P102	Keep out of reach of children.
P260	Do not breathe mist/vapours/spray.
P280	Wear protective gloves/protective clothing/eye protection/face protection.
P301+P330+P331	IF SWALLOWED: Rinse mouth. Do NOT induce vomiting.
P303+P361+P353	IF ON SKIN (or hair): Take off immediately all contaminated clothing. Rinse skin with water or shower.
P305+P351+P338	IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing.
P310	Immediately call a doctor.
Other important information	n about human health protection
The product must not be - unle as per the Section 1. The user	ess specifically approved by the manufacturer/importer - used for purposes other than is responsible for adherence to all related health protection regulations.
•	ronyms used in the safety data sheet
ADR	European agreement concerning the international carriage of dangerous goods by road
BCF	Bioconcentration Factor
CAS	Chemical Abstracts Service
CLP	Regulation (EC) No 1272/2008 on classification, labelling and packaging of substance and mixtures
EC	Identification code for each substance listed in EINECS
EINECS	European Inventory of Existing Commercial Chemical Substances
EmS	Emergency plan
EU	European Union
EuPCS	European Product Categorisation System
IATA	International Air Transport Association
IBC	International Code For The Construction And Equipment of Ships Carrying Dangerous Chemicals
ICAO	International Civil Aviation Organization
IMDG	International Maritime Dangerous Goods

according to Commission Regulation (EU) 2020/878 as amended

ALKALIC WHEEL CLEANER CONCENTRATED

 Creation date
 01st February 2024

 Revision date
 Version

 IMO
 International Maritime Organization

INCI	International Nomenclature of Cosmetic Ingredients
ISO	International Organization for Standardization
IUPAC	International Union of Pure and Applied Chemistry
log Kow	Octanol-water partition coefficient
OEL	Occupational Exposure Limits
РВТ	Persistent, Bioaccumulative and Toxic
ppm	Parts per million
REACH	Registration, Evaluation, Authorisation and Restriction of Chemicals
RID	Agreement on the transport of dangerous goods by rail
UN	Four-figure identification number of the substance or article taken from the UN Model Regulations
UVCB	Substances of unknown or variable composition, complex reaction products or biological materials
VOC	Volatile organic compounds
vPvB	Very Persistent and very Bioaccumulative
Acute Tox.	Acute toxicity
Aquatic Acute	Hazardous to the aquatic environment
Aquatic Chronic	Hazardous to the aquatic environment (chronic)
Eye Dam.	Serious eye damage
Met. Corr.	Corrosive to metals
Skin Corr.	Skin corrosion

Training guidelines

Inform the personnel about the recommended ways of use, mandatory protective equipment, first aid and prohibited ways of handling the product.

Recommended restrictions of use

not available

Information about data sources used to compile the Safety Data Sheet

REGULATION (EC) No. 1907/2006 OF THE EUROPEAN PARLIAMENT AND OF THE COUNCIL (REACH) as amended. REGULATION (EC) No. 1272/2008 OF THE EUROPEAN PARLIAMENT AND OF THE COUNCIL as amended. Data from the manufacturer of the substance / mixture, if available - information from registration dossiers.

More information

Classification procedure - calculation method.

Statement

The safety data sheet provides information aimed at ensuring safety and health protection at work and environmental protection. The provided information corresponds to the current status of knowledge and experience and complies with valid legal regulations. The information should not be understood as guaranteeing the suitability and usability of the product for a particular application.