		_	(DATA SHEET		
	ассо	ording to Commission	Regulation (EU) 2020/878	as amended	
		Elegan	t Dark Leather		
		h February 2024			
levis	on date		Version	1.0	
ЕСТ	ION 1: Identification of th	e substance/mixtur	e and of the company/u	ndertaking	
.1.	Product identifier		Elegant Dark Le	ather	
	Substance / mixture		mixture		
	UFI		0K20-40DU-700	X-PMUQ	
2.	Relevant identified uses Mixture's intended use	of the substance of	r mixture and uses advis	ed against	
	Main intended use				
	PC-AIR-4	Air care product	s for vehicles		
	Mixture uses advised ag				
	The product should not be		an those referred in Sectio	n 1.	
L .3.	Details of the supplier o				
	Supplier				
	Name or trade name		Magis Agata Niz	io	
	Address		Mickiewicza 11,		
			Poland		
	VAT Reg No		PL5970003622		
	Phone		+48451013350		
	E-mail		ggg@gmail.com		
	Competent person respo	onsible for the safet	-		
	Name		Magis Agata Niz	10	
	E-mail		ggg@gmail.com		
	Freezeware weter to low how on we	unale au			
SECT	Emergency telephone no European emergency numb ION 2: Hazards identificat Classification of the sub Classification of the mix	oer: 112 ion stance or mixture ture in accordance	with Regulation (EC) No	1272/2008	
SECT	European emergency numb ION 2: Hazards identificat Classification of the sub Classification of the mix The mixture is classified as Skin Irrit. 2, H315 Eye Irrit. 2, H319	oer: 112 ion stance or mixture ture in accordance	with Regulation (EC) No	1272/2008	
SECT	European emergency numb ION 2: Hazards identificat Classification of the sub Classification of the mix The mixture is classified as Skin Irrit. 2, H315 Eye Irrit. 2, H319 Aquatic Chronic 3, H412 Most serious adverse eff	ber: 112 ion stance or mixture ture in accordance dangerous. fects on human hea	Ith and the environment		cts.
5ECT 2.1.	European emergency numb ION 2: Hazards identificat Classification of the sub Classification of the mix The mixture is classified as Skin Irrit. 2, H315 Eye Irrit. 2, H319 Aquatic Chronic 3, H412 Most serious adverse eff Causes serious eye irritatio	ber: 112 ion stance or mixture ture in accordance dangerous. fects on human hea	Ith and the environment		cts.
SECT 2.1.	European emergency numb ION 2: Hazards identificat Classification of the sub Classification of the mix The mixture is classified as Skin Irrit. 2, H315 Eye Irrit. 2, H319 Aquatic Chronic 3, H412 Most serious adverse eff Causes serious eye irritatic Label elements	ber: 112 ion stance or mixture ture in accordance dangerous. fects on human hea	Ith and the environment		cts.
1.4. SECT 2.1.	European emergency numb ION 2: Hazards identificat Classification of the sub Classification of the mix The mixture is classified as Skin Irrit. 2, H315 Eye Irrit. 2, H319 Aquatic Chronic 3, H412 Most serious adverse eff Causes serious eye irritatio	ber: 112 ion stance or mixture ture in accordance dangerous. fects on human hea	Ith and the environment		cts.
SECT 2.1.	European emergency numb ION 2: Hazards identificat Classification of the sub Classification of the mix The mixture is classified as Skin Irrit. 2, H315 Eye Irrit. 2, H319 Aquatic Chronic 3, H412 Most serious adverse eff Causes serious eye irritatic Label elements	ber: 112 ion stance or mixture ture in accordance dangerous. fects on human hea	Ith and the environment		cts.
SECT 2.1.	European emergency numb ION 2: Hazards identificat Classification of the sub Classification of the mix The mixture is classified as Skin Irrit. 2, H315 Eye Irrit. 2, H319 Aquatic Chronic 3, H412 Most serious adverse eff Causes serious eye irritatic Label elements	ber: 112 ion stance or mixture ture in accordance dangerous. fects on human hea	Ith and the environment		cts.
SECT 2.1.	European emergency numb ION 2: Hazards identificat Classification of the sub Classification of the mix The mixture is classified as Skin Irrit. 2, H315 Eye Irrit. 2, H319 Aquatic Chronic 3, H412 Most serious adverse eff Causes serious eye irritatic Label elements	ber: 112 ion stance or mixture ture in accordance dangerous. fects on human hea	Ith and the environment		cts.
SECT 2.1.	European emergency numb ION 2: Hazards identificat Classification of the sub Classification of the mix The mixture is classified as Skin Irrit. 2, H315 Eye Irrit. 2, H319 Aquatic Chronic 3, H412 Most serious adverse eff Causes serious eye irritatic Label elements	ber: 112 ion stance or mixture ture in accordance dangerous. fects on human hea	Ith and the environment		cts.
SECT 2.1.	European emergency numb ION 2: Hazards identificat Classification of the sub Classification of the mix The mixture is classified as Skin Irrit. 2, H315 Eye Irrit. 2, H319 Aquatic Chronic 3, H412 Most serious adverse eff Causes serious eye irritatio Label elements Hazard pictogram	ber: 112 ion stance or mixture ture in accordance dangerous. fects on human hea	Ith and the environment		cts.
SECT 2.1.	European emergency numb ION 2: Hazards identification Classification of the sub Classification of the mixe The mixture is classified as Skin Irrit. 2, H315 Eye Irrit. 2, H315 Eye Irrit. 2, H319 Aquatic Chronic 3, H412 Most serious adverse effect Causes serious eye irritation Label elements Hazard pictogram Signal word	ber: 112 ion stance or mixture ture in accordance dangerous. fects on human hea	Ith and the environment		cts.
ECT	European emergency numb ION 2: Hazards identificat Classification of the sub Classification of the mix The mixture is classified as Skin Irrit. 2, H315 Eye Irrit. 2, H319 Aquatic Chronic 3, H412 Most serious adverse eff Causes serious eye irritatio Label elements Hazard pictogram	ber: 112 ion stance or mixture ture in accordance dangerous. fects on human hea	Ith and the environment		cts.
SECT	European emergency number ION 2: Hazards identification Classification of the sub- Classification of the mixe The mixture is classified as Skin Irrit. 2, H315 Eye Irrit. 2, H315 Eye Irrit. 2, H319 Aquatic Chronic 3, H412 Most serious adverse effect Causes serious eye irritation Label elements Hazard pictogram Signal word Warning	ber: 112 ion stance or mixture ture in accordance dangerous. fects on human hea	Ith and the environment on. Harmful to aquatic life		cts.
ECT	European emergency number ION 2: Hazards identification Classification of the sub- Classification of the mixe The mixture is classified as Skin Irrit. 2, H315 Eye Irrit. 2, H319 Aquatic Chronic 3, H412 Most serious adverse effect Causes serious eye irritation Label elements Hazard pictogram Signal word Warning Hazard statements	oer: 112 ion stance or mixture ture in accordance a dangerous. fects on human hea on. Causes skin irritati	Ith and the environment on. Harmful to aquatic life ation.		cts.
ECT	European emergency number ION 2: Hazards identification Classification of the sub- Classification of the mixe The mixture is classified as Skin Irrit. 2, H315 Eye Irrit. 2, H315 Eye Irrit. 2, H319 Aquatic Chronic 3, H412 Most serious adverse effections Causes serious eye irritation Label elements Hazard pictogram Signal word Warning Hazard statements H315	causes skin irrit Causes serious of the formation of the	Ith and the environment on. Harmful to aquatic life ation.	with long lasting effe	cts.
SECT 2.1.	European emergency numb ION 2: Hazards identification Classification of the sub Classification of the mixe The mixture is classified as Skin Irrit. 2, H315 Eye Irrit. 2, H315 Eye Irrit. 2, H319 Aquatic Chronic 3, H412 Most serious adverse effections Causes serious eye irritation Label elements Hazard pictogram Signal word Warning Hazard statements H315 H319	oer: 112 ion stance or mixture ture in accordance dangerous. fects on human hea on. Causes skin irritati Causes skin irritati Causes serious of Harmful to aqua	Ith and the environment on. Harmful to aquatic life ation. eye irritation.	with long lasting effe	cts.
SECT 2.1.	European emergency number ION 2: Hazards identifications Classification of the sub- Classification of the mixe The mixture is classified as Skin Irrit. 2, H315 Eye Irrit. 2, H315 Eye Irrit. 2, H319 Aquatic Chronic 3, H412 Most serious adverse effections Causes serious eye irritation Label elements Hazard pictogram Signal word Warning Hazard statements H315 H319 H412	oer: 112 ion stance or mixture ture in accordance a dangerous. fects on human hea on. Causes skin irritati Causes skin irritati Causes serious of Harmful to aqua ts	Ith and the environment on. Harmful to aquatic life ation. eye irritation.	with long lasting effe	
SECT 2.1.	European emergency number ION 2: Hazards identification of the sub- Classification of the mixe The mixture is classified as Skin Irrit. 2, H315 Eye Irrit. 2, H315 Eye Irrit. 2, H319 Aquatic Chronic 3, H412 Most serious adverse effection Causes serious eye irritation Label elements Hazard pictogram Signal word Warning Hazard statements H315 H319 H412 Precautionary statement	oer: 112 ion stance or mixture ture in accordance a dangerous. fects on human hea on. Causes skin irritati Causes skin irritati Causes serious of Harmful to aqua ts	Ith and the environment on. Harmful to aquatic life ation. eye irritation. tic life with long lasting effe e is needed, have product o	with long lasting effe	
5ECT 2.1.	European emergency number ION 2: Hazards identification of the sub- Classification of the mixe The mixture is classified as Skin Irrit. 2, H315 Eye Irrit. 2, H315 Eye Irrit. 2, H319 Aquatic Chronic 3, H412 Most serious adverse effections Causes serious eye irritation Label elements Hazard pictogram Signal word Warning Hazard statements H315 H319 H412 Precautionary statement P101	causes skin irritation. Causes skin irritation. Causes skin irritation. Causes skin irritation. Causes skin irritation. Causes serious of the series	Ith and the environment on. Harmful to aquatic life ation. eye irritation. tic life with long lasting effe e is needed, have product o	with long lasting effe ects.	nand.
5ECT 2.1.	European emergency number ION 2: Hazards identification of the sub- Classification of the mixe The mixture is classified as Skin Irrit. 2, H315 Eye Irrit. 2, H315 Eye Irrit. 2, H319 Aquatic Chronic 3, H412 Most serious adverse effections Causes serious eye irritation Label elements Hazard pictogram Signal word Warning Hazard statements H315 H319 H412 Precautionary statement P101 P102	causes skin irritation. Causes skin irritation. Causes skin irritation. Causes skin irritation. Causes skin irritation. Causes serious of the series	Ith and the environment on. Harmful to aquatic life ation. eye irritation. tic life with long lasting effo e is needed, have product of ch of children. I exposed parts of the body	with long lasting effe ects.	nand.
SECT 2.1.	European emergency number ION 2: Hazards identification of the sub- Classification of the mixe The mixture is classified as Skin Irrit. 2, H315 Eye Irrit. 2, H315 Eye Irrit. 2, H319 Aquatic Chronic 3, H412 Most serious adverse effection Causes serious eye irritation Label elements Hazard pictogram Signal word Warning Hazard statements H315 H319 H412 Precautionary statement P101 P102 P264	causes skin irritation Causes skin irritation Causes skin irritation Causes skin irritation Causes serious of Harmful to aqua ts If medical advice Keep out of reac Wash hands and Wear eye protect IF IN EYES: Rins	Ith and the environment on. Harmful to aquatic life ation. eye irritation. tic life with long lasting effo e is needed, have product of ch of children. I exposed parts of the body	with long lasting effe ects. container or label at h thoroughly after har several minutes. Ref	hand. hdling.

	<u> </u>				
according to	Commission	Regulation (FUN	2020/878	as amended

Elegant Dark Leather 06th February 2024 Creation date Revision date Version 1.0 P337+P313 If eye irritation persists: Get medical advice/attention. P501 Dispose of contents/container to by handing over to the person authorized to dispose of waste or by returning to the supplier. Supplemental information Contains [3R-(3a,3aβ,7β,8aa)]-1-(2,3,4,7,8,8a-hexahydro-3,6,8,8-tetramethyl-1H-EUH208 3a,7-methanoazulen-5-yl)ethan-1-one, Methyl 2,4-dihydroxy-3,6dimethylbenzoate, Caryophyllene, linalool, benzyl salicylate, ISOEUGENOL. May produce an allergic reaction.

2.3. Other hazards

The mixture does not contain substances with endocrine disrupting properties in accordance with the criteria set out in Commission Delegated Regulation (EU) 2017/2100 or Commission Regulation (EU) 2018/605. Mixture does not contain any substance meet the criteria for PBT or vPvB in accordance with Annex XIII of Regulation (EC) No. 1907/2006 (REACH) as amended.

SECTION 3: Composition/information on ingredients

3.2. Mixtures

Mixture contains these hazardous substances and substances with the highest permissible concentration in the working environment

Identification numbers	Substance name	Content in % weight	Classification according to Regulation (EC) No 1272/2008	Note
CAS: 68439-51-0 Registration number: polimer	Alcohols, C12-14, ethoxylated propoxylated	5-10	Skin Irrit. 2, H315 Eye Irrit. 2, H319	
Index: 603-117-00-0 CAS: 67-63-0 EC: 200-661-7 Registration number: 01-2119457558-25	propan-2-ol	5-10	Flam. Liq. 2, H225 Eye Irrit. 2, H319 STOT SE 3, H336	
CAS: 103-23-1 EC: 203-090-1 Registration number: 01-2119439699-19	bis(2-ethylhexyl) adipate	3-6	not classified as dangerous	
Index: 607-085-00-9 CAS: 120-51-4 EC: 204-402-9 Registration number: 01-2119976371-33	benzyl benzoate	2,2-5,2	Acute Tox. 4, H302 Aquatic Chronic 2, H411	
CAS: 32388-55-9 EC: 251-020-3 Registration number: 01-2119969651-28	[3R-(3α,3aβ,7β,8aα)]-1-(2,3,4,7,8,8a- hexahydro-3,6,8,8-tetramethyl-1H-3a,7- methanoazulen-5-yl)ethan-1-one	0,3-<1	Skin Sens. 1B, H317 Aquatic Acute 1, H400 (M=1) Aquatic Chronic 1, H410 (M=1)	
CAS: 34902-57-3 EC: 609-040-9	Oxacyclohexadecen-2-one	0,2-0,6	Aquatic Acute 1, H400 (M=1) Aquatic Chronic 2, H411	
CAS: 4707-47-5 EC: 225-193-0 Registration number: 01-2120762759-36	Methyl 2,4-dihydroxy-3,6-dimethylbenzoate	0,2-0,6	Skin Sens. 1B, H317	
CAS: 87-44-5 EC: 201-746-1 Registration number: 01-2120745237-53	Caryophyllene	<0,2	Asp. Tox. 1, H304 Skin Sens. 1B, H317	
Index: 603-235-00-2 CAS: 78-70-6 EC: 201-134-4 Registration number: 01-2119474016-42	linalool	<0,2	Skin Irrit. 2, H315 Skin Sens. 1B, H317 Eye Irrit. 2, H319	

according to Commission Regulation (EU) 2020/878 as amended

Elegant Dark Leather

Creation date Revision date	06th February 2024	Version	1.0	
Identification numbers	Substance name	Content in % weight	Classification according to Regulation (EC) No 1272/2008	Note
Index: 607-754-00-5 CAS: 118-58-1 EC: 204-262-9 Registration number: 01-2119969442-31	benzyl salicylate	<0,2	Skin Sens. 1B, H317 Eye Irrit. 2, H319 Aquatic Chronic 3, H412	
Index: 604-094-00-X CAS: 97-54-1 EC: 202-590-7 Registration number: 01-2120223682-61	ISOEUGENOL	<0,002	Skin Sens. 1A, H317 Specific concentration limit: Skin Sens. 1A, H317: C ≥ 0.01 %	

Full text of all classifications and hazard statements is given in the section 16.

SECTION 4: First aid measures

Description of first aid measures

Take care of your own safety. If any health problems are manifested or if in doubt, inform a doctor and show him information from this safety data sheet.

If inhaled

4.1.

4.3.

Terminate the exposure immediately; move the affected person to fresh air. Protect the person against growing cold. Provide medical treatment if irritation, dyspnoea or other symptoms persist.

If on skin

Remove contaminated clothes. Wash the affected area with plenty of water, lukewarm if possible. Soap, soap solution or shampoo should be used if there is no skin injury. Provide medical treatment if skin irritation persists.

If in eyes

Rinse eyes immediately with a flow of running water, open the eyelids (also using force if needed); remove contact lenses immediately if worn by the affected person. Rinsing should continue at least for 10 minutes. Provide medical treatment, specialized if possible.

If swallowed

Rinse out the mouth with water and provide 2-5 dL of water. Provide medical treatment if the person has any health problems.

4.2. Most important symptoms and effects, both acute and delayed

If inhaled Not expected. If on skin Causes skin irritation. If in eyes Causes serious eye irritation. If swallowed Irritation, nausea. Indication of any immediate medical attention and special treatment needed Symptomatic treatment.

SECTION 5: Firefighting measures

5.1. Extinguishing media

Suitable extinguishing media

Alcohol-resistant foam, carbon dioxide, powder, water spray jet, water mist.

Unsuitable extinguishing media

Water - full jet.

5.2. Special hazards arising from the substance or mixture

In the event of fire, carbon monoxide, carbon dioxide and other toxic gases may arise. Inhalation of hazardous degradation (pyrolysis) products may cause serious health damage.

according to Commission Regulation (EU) 2020/878 as amended

Elegant Dark Leather

Creation date	06th February 2024				
Revision date		Version	1.0		

5.3. Advice for firefighters

Self-Contained Breathing Apparatus (SCBA) with a chemical protection suit only where personal (close) contact is likely. Use a self-contained breathing apparatus and full-body protective clothing. Do not allow run-off of contaminated fire extinguishing material to enter drains or surface and ground water.

SECTION 6: Accidental release measures

6.1. Personal precautions, protective equipment and emergency procedures

Use personal protective equipment for work. Follow the instructions in the Sections 7 and 8. Prevent contact with skin and eyes.

6.2. Environmental precautions

Prevent contamination of the soil and entering surface or ground water.

6.3. Methods and material for containment and cleaning up

Spilled product should be covered with suitable (non-flammable) absorbing material (sand, diatomaceous earth, earth and other suitable absorption materials); to be contained in well closed containers and removed as per the Section 13. In the event of leakage of the substantial amount of the product, inform fire brigade and other competent bodies. After removal of the product, wash the contaminated site with plenty of water. Do not use solvents.

6.4. Reference to other sections

See the Section 7, 8 and 13.

SECTION 7: Handling and storage

7.1. Precautions for safe handling

Prevent formation of gases and vapours in concentrations exceeding the occupational exposure limits. Prevent contact with skin and eyes. Wash hands and exposed parts of the body thoroughly after handling. Use personal protective equipment as per Section 8. Observe valid legal regulations on safety and health protection. Avoid release to the environment.

7.2. Conditions for safe storage, including any incompatibilities

Store in tightly closed containers in cold, dry and well ventilated areas designated for this purpose.

Packaging type	Material of package
bottle	
jerry can	
	bottle bottle bottle bottle bottle bottle bottle bottle bottle bottle bottle bottle

Storage class

10 - Other combustible liquids

7.3. Specific end use(s)

not available

SECTION 8: Exposure controls/personal protection

8.1. Control parameters

The mixture contains substances for which occupational exposure limits are set.

according to Commission Regulation (EU) 2020/878 as amended

Elegant Dark Leather

Creation date	06th February 2024			
Revision date		Version	1.0	
				-

8.2. Exposure controls

Take off contaminated clothing and wash before reuse. Do not eat, drink and smoke during work. Wash your hands thoroughly with water and soap after work and before breaks for a meal and rest.

Eye/face protection

Protective goggles.

Skin protection

Hand protection: Protective gloves resistant to the product. When choosing appropriate thickness, material and permeability of the gloves, observe recommendations of their particular manufacturer. Observe other recommendations of the manufacturer. Other protection: protective workwear. Contaminated skin should be washed thoroughly.

Respiratory protection

Halfmask with a filter against organic vapours or a self-contained breathing apparatus as appropriate if exposure limit values of substances are exceeded or in a poorly ventilated environment.

Thermal hazard

Data not available.

Environmental exposure controls

Observe usual measures for protection of the environment, see Section 6.2.

SECTION 9: Physical and chemical properties

9.1. Information on basic physical and chemical properties

Physical state	liquid
Colour	colourless
Odour	characteristic
Melting point/freezing point	data not available
Boiling point or initial boiling point and boiling range	data not available
Flammability	data not available
Lower and upper explosion limit	data not available
Flash point	>61 °C
Auto-ignition temperature	data not available
Decomposition temperature	data not available
рН	6-7 (undiluted)
Kinematic viscosity	data not available
Solubility in water	soluble
Partition coefficient n-octanol/water (log value)	data not available
Vapour pressure	data not available
propan-2-ol (CAS: 67-63-0)	43 hPa at 20 °C
Density and/or relative density	data not available
propan-2-ol (CAS: 67-63-0)	0.79 g/cm ³
Relative vapour density	data not available
Particle characteristics	data not available
Form	liquid
Other information	
not available	

SECTION 10: Stability and reactivity

10.1. Reactivity not available

9.2.

10.2. Chemical stability

- The product is stable under normal conditions. **10.3. Possibility of hazardous reactions**
 - Unknown.

according to Commission Regulation (EU) 2020/878 as amended

Elegant Dark Leather

Creation date	06th February 2024				
Revision date		Version	1.0		

10.4. Conditions to avoid

The product is stable and no degradation occurs under normal use. Protect against flames, sparks, overheating and against frost.

10.5. Incompatible materials

Protect against strong acids, bases and oxidizing agents.

10.6. Hazardous decomposition products Not developed under normal uses. Dangerous outcomes such as carbon monoxide and carbon dioxide are formed at high temperature and in fire.

SECTION 11: Toxicological information

11.1. Information on hazard classes as defined in Regulation (EC) No 1272/2008

Inhalation of solvent vapors above values exceeding exposure limits for working environment may result in acute inhalation poisoning, depending on the level of concentration and exposure time. No toxicological data is available for the mixture.

Acute toxicity

Based on the available data, the criteria for classification of the mixture are not met.

Elegant Dark Leather							
Route of exposure	Parameter	Method	Value	Exposure time	Species	Sex	Value determination
Oral	ATE		9259 mg/kg				Calculation of value

propan-2-ol

propan-2-ol							
Route of exposure	Parameter	Method	Value	Exposure time	Species	Sex	Value determination
Inhalation (vapor)	LC50	OECD 403	>10000 ppm	6 hours	Rat	F/M	

Skin corrosion/irritation

Causes skin irritation. Data for the components of the mixture are not available.

Serious eye damage/irritation

Causes serious eye irritation.

propan-2-ol					
Route of exposure	Result	Method	Exposure time	Species	
Eye	Serious eye damage	OECD 405		Rabbit	

Respiratory or skin sensitisation

Data for the mixture are not available. Based on the available data, the criteria for classification of the mixture are not met.

propan-2-ol				
Route of exposure	Result	Exposure time	Species	Sex
	Not sensitizing		Guinea-pig	F/M

according to Commission Regulation (EU) 2020/878 as amended

Elegant Dark Leather

	U		
Creation date	06th February 2024		
Revision date		Version	1.0

Germ cell mutagenicity

Data for the mixture are not available. Based on the available data, the criteria for classification of the mixture are not met.

propan-2-ol				
Result	Exposure time	Specific target organ	Species	Sex
Negative without metabolic activation, Negative with metabolic activation		Ovary	Guinea-pig	F/M

Carcinogenicity

No data are available for either the mixture or the components. Based on the available data, the criteria for classification of the mixture are not met.

Reproductive toxicity

No data are available for either the mixture or the components. Based on the available data, the criteria for classification of the mixture are not met.

Toxicity for specific target organ - single exposure

No data are available for either the mixture or the components. Based on the available data, the criteria for classification of the mixture are not met.

Toxicity for specific target organ - repeated exposure

Data for the mixture are not available. Based on the available data, the criteria for classification of the mixture are not met.

propan-2-ol					
Route of exposure	Parameter	Value	Result	Species	Sex
Inhalation (vapor)	NOEC	500 ppm		Rat (Rattus norvegicus)	F/M

Aspiration hazard

No data are available for either the mixture or the components. Based on the available data, the criteria for classification of the mixture are not met.

11.2. Information on other hazards

The mixture does not contain substances with endocrine disrupting properties in accordance with the criteria set out in Commission Delegated Regulation (EU) 2017/2100 or Commission Regulation (EU) 2018/605.

SECTION 12: Ecological information

12.1. Toxicity

Harmful to aquatic life with long lasting effects.

Acute toxicity

propan-2-ol				
Parameter	Value	Exposure time	Species	Environment
EC50	>10000 mg/l	48 hours	Daphnia (Daphnia magna)	
LC50	9640 mg/l	96 hours	Fish	Fresh water

12.2. Persistence and degradability

No data are available for either the mixture or the components.

12.3. Bioaccumulative potential

No data are available for either the mixture or the components.

according to Commission Regulation (EU) 2020/878 as amended

Elegant Dark Leather

Creation date Revision date

Version

1.0

12.4. Mobility in soil

No data are available for either the mixture or the components.

06th February 2024

12.5. Results of PBT and vPvB assessment

Product does not contain any substance meeting the criteria for PBT or vPvB in accordance with the Annex XIII of Regulation (EC) No 1907/2006 (REACH) as amended.

12.6. Endocrine disrupting properties

The mixture does not contain substances with endocrine disrupting properties in accordance with the criteria set out in Commission Delegated Regulation (EU) 2017/2100 or Commission Regulation (EU) 2018/605.

12.7. Other adverse effects

Data not available.

SECTION 13: Disposal considerations

13.1. Waste treatment methods

Hazard of environmental contamination; dispose of the waste in accordance with the local and/or national regulations. Proceed in accordance with valid regulations on waste disposal. Any unused product and contaminated packaging should be put in labelled containers for waste collection and submitted for disposal to a person authorised for waste removal (a specialized company) that is entitled for such activity. Do not empty unused product in drainage systems. The product must not be disposed of with municipal waste. Empty containers may be used at waste incinerators to produce energy or deposited in a dump with appropriate classification. Perfectly cleaned containers can be submitted for recycling.

Waste management legislation

Directive 2008/98/EC of the European Parliament and of the Council of 19 November 2008 on waste, as amended. Decision 2000/532/EC establishing a list of wastes, as amended.

SECTION 14: Transport information

14.1. UN number or ID number

- not subject to transport regulations
- **14.2.** UN proper shipping name not relevant
- 14.3. Transport hazard class(es) not relevant
- 14.4. Packing group not relevant
- 14.5. Environmental hazards not relevant
- **14.6.** Special precautions for user Reference in the Sections 4 to 8.
- **14.7.** Maritime transport in bulk according to IMO instruments not relevant

SECTION 15: Regulatory information

15.1. Safety, health and environmental regulations/legislation specific for the substance or mixture

Regulation (EC) No. 1907/2006 of the European Parliament and of the Council of 18th December 2006 concerning the Registration, Evaluation, Authorisation and Restriction of Chemicals (REACH), establishing the European Chemicals Agency, amending Directive 1999/45/EC and repealing Council Regulation (EEC) No. 793/93 and Commission Regulation (EC) No. 1488/94 as well as Council Directive 76/769/EEC and Commission Directives 91/155/EEC, 93/67/EEC, 93/105/EC and 2000/21/EC, as amended. REGULATION (EC) No. 1272/2008 OF THE EUROPEAN PARLIAMENT AND OF THE COUNCIL as amended. Commission Regulation (EU) 2020/878 of 18 June 2020 amending Annex II to Regulation (EC) No 1907/2006 of the European Parliament and of the Council concerning the Registration, Evaluation, Authorisation and Restriction of Chemicals (REACH).

15.2. Chemical safety assessment

not available

SECTION 16: Other information

according to Commission Regulation (EU) 2020/878 as amended

Elegant Dark Leather

	Elegant		
Creation date Revision date	06th February 2024	Version	1.0
A list of sta	ndard risk phrases used in the safe	tv data sheet	
H225	Highly flammable lic		
H302	Harmful if swallowed		
H304	May be fatal if swall	owed and enters airway	S.
H315	Causes skin irritatio		
H317	May cause an allerg	ic skin reaction.	
H319	Causes serious eye		
H336	May cause drowsine		
H400	Very toxic to aquation		
H410	, , , ,	c life with long lasting ef	ffects.
H411	, , ,	with long lasting effects	
H412		ife with long lasting effe	
Guidelines f	for safe handling used in the safety	5 5	
P101			ontainer or label at hand.
P102	Keep out of reach of		
P264	•		thoroughly after handling.
P280	Wear eye protection		· · · · · · · · · · · · · · · · · · ·
P305+P351+	-P338 IF IN EYES: Rinse ca		several minutes. Remove contact rinsing.
P337+P313		ists: Get medical advice	-
P501	Dispose of contents,		g over to the person authorized to
A list of add	litional standard phrases used in th		
EUH208	Contains [3R-(3ɑ,3a 3a,7-methanoazuler	aβ,7β,8aα)]-1-(2,3,4,7,8 n-5-yl)ethan-1-one, Met Caryophyllene, linalool, t	8,8a-hexahydro-3,6,8,8-tetramethyl-1H- hyl 2,4-dihydroxy-3,6- penzyl salicylate, ISOEUGENOL. May
Other impo	rtant information about human heal		
The product		ved by the manufacture	r/importer - used for purposes other thar alth protection regulations.
Key to abbr	eviations and acronyms used in the	safety data sheet	
ADR	European agreemen road	t concerning the interna	tional carriage of dangerous goods by
BCF	Bioconcentration Fa	ctor	
CAS	Chemical Abstracts	Service	
CLP	Regulation (EC) No substance and mixto		tion, labelling and packaging of
EC	Identification code f	or each substance listed	I in EINECS
EC50	Concentration of a s	ubstance when it is affe	cted 50% of the population
EINECS	European Inventory	of Existing Commercial	Chemical Substances
EmS	Emergency plan		
EU	European Union		
EuPCS	European Product C	ategorisation System	
IATA	International Air Tra	Insport Association	
IBC	International Code F Dangerous Chemica		d Equipment of Ships Carrying
ICAO	International Civil A	viation Organization	
IMDG	International Maritir	ne Dangerous Goods	
IMO	International Maritir	ne Organization	
INCI	International Nomer	nclature of Cosmetic Ing	redients
ISO	International Organ	ization for Standardizati	on
IUPAC	International Union	of Pure and Applied Che	emistry
LC50	Lethal concentration population	ı of a substance in which	n it can be expected death of 50% of the
log Kow	Octanol-water partit	ion coefficient	
NOEC	No observed effect of	concentration	
OEL	Occupational Exposi	ure Limits	

according to Commission Regulation (EU) 2020/878 as amended

Elegant Dark Leather

Creation date	06th February 2024
Revision date	Version 1.0
PBT	Persistent, Bioaccumulative and Toxic
ppm	Parts per million
REACH	Registration, Evaluation, Authorisation and Restriction of Chemicals
RID	Agreement on the transport of dangerous goods by rail
UN	Four-figure identification number of the substance or article taken from the UN Model Regulations
UVCB	Substances of unknown or variable composition, complex reaction products or biological materials
VOC	Volatile organic compounds
vPvB	Very Persistent and very Bioaccumulative
Acute Tox.	Acute toxicity
Aquatic Acute	Hazardous to the aquatic environment
Aquatic Chronic	Hazardous to the aquatic environment (chronic)
Asp. Tox.	Aspiration hazard
Eye Irrit.	Eye irritation
Flam. Liq.	Flammable liquid
Skin Irrit.	Skin irritation
Skin Sens.	Skin sensitization
STOT SE	Specific target organ toxicity - single exposure
Training guidelines	5

Inform the personnel about the recommended ways of use, mandatory protective equipment, first aid and prohibited ways of handling the product.

Recommended restrictions of use

not available

Information about data sources used to compile the Safety Data Sheet

REGULATION (EC) No. 1907/2006 OF THE EUROPEAN PARLIAMENT AND OF THE COUNCIL (REACH) as amended. REGULATION (EC) No. 1272/2008 OF THE EUROPEAN PARLIAMENT AND OF THE COUNCIL as amended. Data from the manufacturer of the substance / mixture, if available - information from registration dossiers.

More information

Classification procedure - calculation method.

Statement

The safety data sheet provides information aimed at ensuring safety and health protection at work and environmental protection. The provided information corresponds to the current status of knowledge and experience and complies with valid legal regulations. The information should not be understood as guaranteeing the suitability and usability of the product for a particular application.